

Experiment 1		Experiment 2	
Condition	Mean (SD)	Condition	Mean (SD)
Control	1.00 (0.00)	Control	1.00 (0.00)
10% TMS	1.00 (0.00)	10% TMS	1.00 (0.00)
20% TMS	1.00 (0.00)	20% TMS	1.00 (0.00)
30% TMS	1.00 (0.00)	30% TMS	1.00 (0.00)
40% TMS	1.00 (0.00)	40% TMS	1.00 (0.00)
50% TMS	1.00 (0.00)	50% TMS	1.00 (0.00)
60% TMS	1.00 (0.00)	60% TMS	1.00 (0.00)
70% TMS	1.00 (0.00)	70% TMS	1.00 (0.00)
80% TMS	1.00 (0.00)	80% TMS	1.00 (0.00)
90% TMS	1.00 (0.00)	90% TMS	1.00 (0.00)
100% TMS	1.00 (0.00)	100% TMS	1.00 (0.00)
Control	1.00 (0.00)	Control	1.00 (0.00)
10% TMS	1.00 (0.00)	10% TMS	1.00 (0.00)
20% TMS	1.00 (0.00)	20% TMS	1.00 (0.00)
30% TMS	1.00 (0.00)	30% TMS	1.00 (0.00)
40% TMS	1.00 (0.00)	40% TMS	1.00 (0.00)
50% TMS	1.00 (0.00)	50% TMS	1.00 (0.00)
60% TMS	1.00 (0.00)	60% TMS	1.00 (0.00)
70% TMS	1.00 (0.00)	70% TMS	1.00 (0.00)
80% TMS	1.00 (0.00)	80% TMS	1.00 (0.00)
90% TMS	1.00 (0.00)	90% TMS	1.00 (0.00)
100% TMS	1.00 (0.00)	100% TMS	1.00 (0.00)




FIGURE 2




Figure 3A




Figure 3B-2

105020 620260




FIGURE 3B-3

FIGURE 3B-3




FIGURE 3B-4

105020" E208/250




FIGURE 4A

FIGURE 4A




FIGURE 4B-2

FIGURE 4B-1

T05020"E2002/260




FIGURE 4B-3

105020 8208260

FIGURE 4B-4




FIGURE 4B-4